

L Number	Hits	Search Text	DB	Time stamp
1	4569	((717/151-166,126-133,144-148) or (712/202,221-228)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:10
-	2320	(@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 11:09
-	749	(@ad<=20010119 or @rlad<=20010119) and ((code and alloc\$5) same (register and stack)) or (allocat\$4 same register).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 09:20
-	18	((@ad<=20010119 or @rlad<=20010119) and ((code and alloc\$5) same (register and stack)) or (allocat\$4 same register).clm.) or (@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.) and ((dynamic or instrumentation) near7 (allocat\$5 adj3 register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 09:22
-	1400	((@ad<=20010119 or @rlad<=20010119) and ((code and alloc\$5) same (register and stack)) or (allocat\$4 same register).clm.) or (@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.) and ((alloc or malloc or alloc\$5) near5 (register or (stack and parameter)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 09:24
-	4	((@ad<=20010119 or @rlad<=20010119) and ((code and alloc\$5) same (register and stack)) or (allocat\$4 same register).clm.) or (@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.) and ((alloc or malloc or alloc\$5) near5 (register or (stack and parameter))) and (generat\$5 near4 ((additional or new) adj2 register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 09:39
-	5	(@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.) and (generat\$5 near4 ((additional or new or (second adj set) or more) adj2 register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 09:40
-	44	(@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.) and ((generat\$5 or alloc\$5 or creat\$5) near4 ((additional or new or (second adj set) or more) adj2 register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 13:42
-	69	(@ad<=20010119 or @rlad<=20010119) and ((code and alloc\$5) same (register and stack)) or (allocat\$4 same register).clm.) and ((generat\$5 or alloc\$5 or creat\$5) near4 ((additional or new or (second adj set) or more) adj2 register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 09:45
-	5	((@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.) and ((generat\$5 or alloc\$5 or creat\$5) near4 ((additional or new or (second adj set) or more) adj2 register))) or ((@ad<=20010119 or @rlad<=20010119) and ((code and alloc\$5) same (register and stack)) or (allocat\$4 same register).clm.) and ((generat\$5 or alloc\$5 or creat\$5) near4 ((additional or new or (second adj set) or more) adj2 register))) and ((pass\$3 or use) near3 parameter) same ((create or generat\$4 or alloc\$5) near4 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 10:10

-	15	("3737871"   "4445173"   "4524416"   "4777588"   "4969091"   "5036454"   "5083263"   "5083267"   "5129067"   "5159680"   "5226128"   "5226142"   "5233691"   "5276820"   "5440714").PN.	USPAT	2004/03/04 09:52
-	3	("3686641"   "4130867"   "4325120").PN.	USPAT	2004/03/04 10:08
-	31	4524416.URPN.	USPAT	2004/03/04 10:09
-	27	4524416.URPN. and ((stack or register) near7 (alter\$4 or modif\$4 or increas\$4 or chang\$4 or adjust\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 10:36
-	1	(((@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.) or ((@ad<=20010119 or @rlad<=20010119) and ( (code and alloc\$5) same (register and stack)) or (allocat\$4 same register) ) .clm.)) and ((alloc\$5) same ((input adj parameter) near5 register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 10:39
-	3	(((@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.) or ((@ad<=20010119 or @rlad<=20010119) and ( (code and alloc\$5) same (register and stack)) or (allocat\$4 same register) ) .clm.)) and ((alloc\$5) same ((input adj parameter)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 10:44
-	1	(((@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.) or ((@ad<=20010119 or @rlad<=20010119) and ( (code and alloc\$5) same (register and stack)) or (allocat\$4 same register) ) .clm.)) and (alloc\$5 same ((input and output and local) adj2 register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 10:46
-	2	(alloc\$5 same ((input and output and local) adj2 register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 10:49
-	0	((modif\$4 or alter\$4 or updat\$4 or chang\$4) near4 (alloc\$4 adj2 (statement or instruction))) same (( new or additional or more or second) adj2 (register or stack))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 10:52
-	9	((modif\$4 or alter\$4 or updat\$4 or chang\$4) near4 (alloc\$4 adj2 (statement or instruction))) and (( new or additional or more or second) adj2 (register or stack))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 10:52
-	5	(((((@ad<=20010119 or @rlad<=20010119) and (allocat\$4 same register).ab.) and ((generat\$5 or alloc\$5 or creat\$5) near4 (( additional or new or (second adj set) or more) adj2 register))) or (((@ad<=20010119 or @rlad<=20010119) and ((code and alloc\$5) same (register and stack)) or (allocat\$4 same register) ) .clm.) and ((generat\$5 or alloc\$5 or creat\$5) near4 (( additional or new or (second adj set) or more) adj2 register)))) and ((pass\$3 or use) near3 parameter) same ((create or generat\$4 or alloc\$5) near4 register) ) and (@ad<=20010119 or @rlad<=20010119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 11:15
-	2	6487630.URPN.	USPAT	2004/03/04 11:11

-	25	("5142635"   "5420991"   "5463745"   "5479633"   "5522051"   "5535397"   "5574935"   "5640582"   "5680640"   "5751996"   "5778245"   "5852726"   "5867602"   "5974525"   "6006318"   "6035389"   "6065114"   "6202204"   "6219783"   "6243668"   "6314513"   "6321328"   "6367005"   "6453388"   "6487630"   "2002/0056024").PN.	USPAT	2004/03/04 11:12
-	26	((dynamic or runtime) near5 (allocat\$4 near3 (stack or register))) and (instrumentation or probe or hook or prologue or trace or profile or (code near3 insertion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:39
-	20	((dynamic or runtime) near5 (allocat\$4 near3 (stack or register))) and (instrumentation or probe or hook or prologue or trace or profile or (code near3 insertion)) and (@ad<=20010119 or @rlad<=20010119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 12:07
-	33	((re-allocat\$4 or (dynamic adj2 alloc\$5)) and (loop adj2 iteration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 12:07
-	29	((re-allocat\$4 or (dynamic adj2 alloc\$5)) and (loop adj2 iteration)) and (@ad<=20010119 or @rlad<=20010119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:38
-	17	((re-allocat\$4 or (dynamic adj2 alloc\$5)) and (loop adj2 iteration)) and (@ad<=20010119 or @rlad<=20010119) and (717/\$ or 711/\$ or 700/\$ or 710/\$ or 712/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 13:41
-	198	((input and output) adj2 register) and (stack same allocat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 13:28
-	193	((input and output) adj2 register) and (stack same allocat\$4) and (@ad<=20010119 or @rlad<=20010119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 13:29
-	177	((dynamic or runtime or dynamical\$3) near5 (allocat\$4 near3 (stack or register))) and (717/\$ or 711/\$ or 700/\$ or 710/\$ or 712/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 13:33
-	7	((input and output) adj2 register) and (stack same allocat\$4) and (@ad<=20010119 or @rlad<=20010119) and ((dynamic or runtime or dynamical\$3) near5 (allocat\$4 near3 (stack or register))) and (717/\$ or 711/\$ or 700/\$ or 710/\$ or 712/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 13:33
-	124	((input and output) adj2 register) and (stack same allocat\$4) and (@ad<=20010119 or @rlad<=20010119) and (717/\$ or 711/\$ or 700/\$ or 710/\$ or 712/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 13:41
-	6	((input and output) adj2 register) and (stack same allocat\$4) and (@ad<=20010119 or @rlad<=20010119) and (717/\$ or 711/\$ or 700/\$ or 710/\$ or 712/\$) and ((generat\$5 or alloc\$5 or creat\$5) near4 ((additional or new or (second adj set) or more) adj2 (register or stack)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:09

-	0	((("alloc" or "Alloc") adj (statement or instruction)) and Microsoft.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:26
-	0	((("alloc" or "Alloc") same (input adj register)) and Microsoft.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:27
-	0	((("alloc" or "Alloc") same (input adj register)) and Hewlett.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:27
-	1	((("alloc" or "Alloc") same (input and local)) and Hewlett.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:28
-	0	((("alloc" or "Alloc") same (input and local)) and Microsoft.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:28
-	2	("alloc" or "Alloc") same ((input and local) near5 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:29
-	2568	((input and local) near5 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:30
-	2206	((((input and local) near5 register) ) and ((input and local and output) near5 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:30
-	16	((((input and local) near5 register) ) and ((dynamic or runtime or dynamical\$3) near5 (allocat\$4 near3 (stack or register))) and (717/\$ or 711/\$ or 700/\$ or 710/\$ or 712/\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:31
-	49	((((input and local) near5 register) ) and (((((input and output) adj2 register) and (stack same allocat\$4)) and (@ad<=20010119 or @rlad<=20010119)) and (717/\$ or 711/\$ or 700/\$ or 710/\$ or 712/\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:31
-	3	((((input and local) near5 register) ) and (((dynamic or runtime or dynamical\$3) near5 (allocat\$4 near3 (stack or register))) and (717/\$ or 711/\$ or 700/\$ or 710/\$ or 712/\$)) and (((input and local) near5 register) ) and (((((input and output) adj2 register) and (stack same allocat\$4)) and (@ad<=20010119 or @rlad<=20010119)) and (717/\$ or 711/\$ or 700/\$ or 710/\$ or 712/\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:37
-	17	(realloc or re-alloc) same (stack or register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:38
-	15	((realloc or re-alloc) same (stack or register)) and (@ad<=20010119 or @rlad<=20010119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:38

-	6	((realloc or re-alloc) same (stack or register)) and (@ad<=20010119 or @rlad<=20010119)) and (instrumentation or probe or hook or prologue or trace or profile or (code near3 insertion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 14:39
-	23	(US-5857103-\$ or US-6487630-\$ or US-6230317-\$ or US-5564031-\$ or US-4777588-\$ or US-4524416-\$ or US-6631452-\$ or US-5768595-\$ or US-5659753-\$ or US-5613117-\$ or US-5590332-\$ or US-5577253-\$ or US-5493675-\$ or US-5487158-\$ or US-6185597-\$ or US-5668999-\$ or US-4493020-\$ or US-6604167-\$ or US-5892936-\$ or US-5335344-\$ or US-6206584-\$).did. or (US-20030135715-\$ or US-20020056024-\$).did.	USPAT; US-PGPUB	2004/03/04 15:28
-	1	((US-5857103-\$ or US-6487630-\$ or US-6230317-\$ or US-5564031-\$ or US-4777588-\$ or US-4524416-\$ or US-6631452-\$ or US-5768595-\$ or US-5659753-\$ or US-5613117-\$ or US-5590332-\$ or US-5577253-\$ or US-5493675-\$ or US-5487158-\$ or US-6185597-\$ or US-5668999-\$ or US-4493020-\$ or US-6604167-\$ or US-5892936-\$ or US-5335344-\$ or US-6206584-\$).did. or (US-20030135715-\$ or US-20020056024-\$).did.) and ((dynamic allocat\$4) and re-alloc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:09
-	8	((US-5857103-\$ or US-6487630-\$ or US-6230317-\$ or US-5564031-\$ or US-4777588-\$ or US-4524416-\$ or US-6631452-\$ or US-5768595-\$ or US-5659753-\$ or US-5613117-\$ or US-5590332-\$ or US-5577253-\$ or US-5493675-\$ or US-5487158-\$ or US-6185597-\$ or US-5668999-\$ or US-4493020-\$ or US-6604167-\$ or US-5892936-\$ or US-5335344-\$ or US-6206584-\$).did. or (US-20030135715-\$ or US-20020056024-\$).did.) and ((dynamic near3 allocat\$4) or re-alloc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:06